

24 Aug 92

TABLE OF CONTENTS

ULTRAVIOLET DISINFECTION AT
ARMY WASTEWATER TREATMENT FACILITIES

	Page
1. INTRODUCTION	1
2. BACKGROUND	2
2.1 Disinfection of Wastewater	2
2.2 Disinfection with Ultraviolet Radiation	2
2.3 Application to Wastewater Disinfection	3
2.4 Advantages and Disadvantages of UV Disinfection	3
2.5 Disinfection Standards	4
2.6 Special Requirements	5
3. FUNDAMENTALS OF ULTRAVIOLET DISINFECTION	5
3.1 Nature of Ultraviolet Light	5
3.2 UV Light Disinfection Mechanics	6
3.3 UV Dose and Inactivation Time	6
3.4 <u>E. Coli</u> as Indicators	13
3.5 UV Disinfection Efficiency	13
3.6 Factors Affecting UV Disinfection Efficiency	13
4. ULTRAVIOLET DISINFECTION SYSTEM DESIGN	17
4.1 Salient Features of UV Systems	17
4.2 Design Criteria	31
4.3 Design Considerations	49
4.4 Small Wastewater Treatment Plants	57
4.5 UV Disinfection System Design Procedure	58
4.6 Specification Preparation	73
4.7 Summary	75
APPENDICES	
A Manufacturers Data Form and Checklist	A-1
B UV Disinfection System Design Example	B-1
C Identification of Variables	C-1
D References	D-1

Enclosure

List of Tables

	Page
3-1 Typical UV transmission level	15
4-1 Approximate dosages for 90% inactivation of selected microorganisms by UV	42
4-2 Examples of low pressure mercury arc lamp specifications	66
B-1 Calculation of performance based on loading (uniform array, $S = 5.5$ cm)	B-5
B-2 Design sizing summary for 5.5 cm centerline spacing - uniform array	B-8

List of Figures

	Page
3-1 Electromagnetic spectrum with expanded scale of ultraviolet spectrum	7
3-2 Relative bactericidal effectiveness of ultraviolet radiation	8
3-3 Microbiocidal wavelengths of UV and distribution of energy output for low and medium-pressure arc lamps	9
3-4 Collimated beam apparatus	11
3-5 Dose-response reference curve	12
3-6 Comparison of relative dosages with UV, chlorine and ozone	14
4-1 Typical horizontal, open channel UV disinfection system	19
4-2 Single UV lamp in sleeve surrounded by concentric layer of water showing intensity attenuation through various mediums according to Beer's Law	20
4-3 Schematic of open-channel, modular UV system	22

List of Figures (cont'd)

4-4	UV lamp in quartz jacket	25
4-5	Definition of lamp arc length	25
4-6	UV intensity relationship to distance from lamp	26
4-7	Maximum intensity zones in submerged horizontal reactor	26
4-8	Maximum intensity zones in submerged vertical format reactor	27
4-9	Typical 4-lamp module	28
4-10	Typical modular control center	30
4-11	Typical extended weir design	32
4-12	Typical automatic level control device	33
4-13	Typical horizontal module portable cleaning equipment	34
4-14	Concentration-residence time distribution curve with small amount of dispersion (E)	38
4-15	Schematic of uniform and staggered uniform lamp array	63
4-16	Uniform array intensity as a function of the reactor UV density and UV coefficient of absorption	64
4-17	Staggered uniform array intensity as a function of the UV density and UV coefficient of absorption	65
4-18	UV Performance as a function of system loading	71
B-1	UV Performance as a function of system loading	B-6